



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/798,264	03/12/2004	Ludger Thiemann	677/41957	5881

23646 7590 08/02/2005

BARNES & THORNBURG
750-17TH STREET NW
SUITE 900
WASHINGTON, DC 20006

EXAMINER

COOLEY, CHARLES E

ART UNIT	PAPER NUMBER
----------	--------------

1723

DATE MAILED: 08/02/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/798,264	THIEMANN ET AL.	
	Examiner	Art Unit	
	Charles E. Cooley	1723	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is FINAL. 2b) ☐ This action is non-final.
- 3) ☒ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-17 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1-17 is/are allowed.
- 6) ☐ Claim(s) ____ is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 12 March 2004 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____. |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>07262004</u> . | 6) <input type="checkbox"/> Other: ____. |

OFFICE ACTION

1. This application has been assigned to Technology Center 1700, Art Unit 1723 and the following will apply for this application:

Please direct all written correspondence with the correct application serial number for this application to Art Unit 1723.

Telephone inquiries regarding this application should be directed to the Electronic Business Center (EBC) at <http://www.uspto.gov/ebc/index.html> or 1-866-217-9197 or to the Examiner at (571) 272-1139. All official facsimiles should be transmitted to (703) 872-9306.

2. As the PTO continues to move towards a fully electronic environment, the office will phase-in its E-Patent Reference program. This program: (1) provides downloading capability of the U.S. patents and U.S. patent application publications cited in Office actions via the E-Patent Reference feature of the Office's PAIR system; and (2) ceases mailing paper copies of U.S. patents and U.S. patent application publications with office actions except for citations made during the international stage of an international application under PCT.

Effective June 2004, paper copies of cited U.S. patents and U.S. patent application publications will cease to be mailed to applicants with Office actions from this Technology Center. Paper copies of foreign patents and non-patent literature will continue to be included with office actions.

The U.S. patents and patent application publications cited in office actions are available for download via the Office's PAIR system. As an alternate source, all U.S.

patents and patent application publications are available on the USPTO web site (www.uspto.gov), from the Office of Public Records and from commercial sources. Inquiries about the use of the Office's PAIR system should be referred to the Electronic Business Center (EBC) at <http://www.uspto.gov/ebc/index.html> or 1-866-217-9197.

Requests to restart a period for response due to a missing U.S. patent or patent application publications will not be granted.

Priority

3. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Information Disclosure Statement

4. Note the attached PTO-1449 form submitted with the Information Disclosure Statement filed 26 JUL 2004.

Drawings

5. The replacement sheets filed on 12 MAR 2004 is approved for content but does not comply with 37 CFR 1.121 or 37 CFR 1.84 because of poor line quality.

Replacement sheets in formal form in compliance with 37 CFR 1.84 and that address the drawing objection in section (6) below are required.

6. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the subject matter of

Art Unit: 1723

each of claims 10, 11, 12, and 13 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

Replacement Drawing Sheets

Drawing changes must be made by presenting replacement figures which incorporate the desired changes and which comply with 37 CFR 1.84. An explanation of the changes made must be presented either in the drawing amendments, or remarks, section of the amendment. Any replacement drawing sheet must be identified in the top margin as "Replacement Sheet" (37 CFR 1.121(d)) and include all of the figures appearing on the immediate prior version of the sheet, even though only one figure may be amended. The figure or figure number of the amended drawing(s) must not be labeled as "amended." If the changes to the drawing figure(s) are not accepted by the examiner, applicant will be notified of any required corrective action in the next Office action. No further drawing submission will be required, unless applicant is notified.

Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin.

Annotated Drawing Sheets

A marked-up copy of any amended drawing figure, including annotations indicating the changes made, may be submitted or required by the examiner. The annotated drawing sheets must be clearly labeled as "Annotated Marked-up Drawings" and accompany the replacement sheets.

Timing of Corrections

Applicant is required to submit acceptable corrected drawings within the time period set in the Office action. See 37 CFR 1.85(a). Failure to take corrective action within the set period will result in ABANDONMENT of the application.

If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the "Notice of Allowability." Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136 for filing the corrected drawings after the mailing of a Notice of Allowability.

Specification

7. The substitute specification filed 12 MAR 2004 is objected to because of the following informalities:

a. The marked-up version of the substitute specification filed 12 MAR 2004 does not comply with 37 CFR 1.125 since it lacks the "no new matter" statement required by 1.125(b) and the clean version required by 1.125(c):

§ 1.125 Substitute specification.

(a) If the number or nature of the amendments or the legibility of the application papers renders it difficult to consider the application, or to arrange the papers for printing or copying, the Office may require the entire specification, including the claims, or any part thereof, be rewritten.

(b) Subject to § 1.312, a substitute specification, excluding the claims, may be filed at any point up to payment of the issue fee if it is accompanied by a statement that the substitute specification includes no new matter.

(c) A substitute specification submitted under this section must be submitted with markings showing all the changes relative to the immediate prior version of the specification of record. The text of any added subject matter must be shown by underlining the added text. The text of any deleted matter must be shown by strike-through except that double brackets placed before and after the deleted characters may be used to show deletion of five or fewer consecutive characters. The text of any deleted subject matter must be shown by being placed within double brackets if strike-through cannot be easily perceived. An accompanying clean version (without markings) must also be supplied. Numbering the paragraphs of the specification of record is not considered a change that must be shown pursuant to this paragraph.

Appropriate correction is required.

8. The substitute abstract is acceptable.

9. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed. The title should mention the wave contours of the duct walls.

Allowable Subject Matter

10. Claims 1-17 are allowable over the prior art of record.

11. The following is an Examiner's statement of reasons for the indication of allowable subject matter:

The prior art of record does not teach or fairly suggest the wave shape contour (as defined in the instant specification) of the at least one of the walls of the draining duct in the disk-shaped base section. The shapes of the prior art ducts are considered curved or arcuate in form without reversing points and thus cannot be deemed a "wave shape" as defined by claim 1. The shape is deemed critical and nonobvious for reducing cavitation and vibration effects as explained by the instant specification.

Conclusion

12. This application is in condition for allowance except for the formal matters outlined above.

Prosecution on the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

Art Unit: 1723

13. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The cited art depicts discharge disks or passages for centrifuges.

14. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles E. Cooley whose telephone number is (571) 272-1139. The examiner can normally be reached on Mon-Fri. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

15. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, appearing to read "Charles" followed by a stylized flourish.

Charles E. Cooley
Primary Examiner
Art Unit 1723

28 July 2005